

AD-A033 666 ARMY AEROMEDICAL RESEARCH LAB FORT RUCKER ALA F
EFFECT OF IMPULSE NOISE ON HEARING: A SELECT BIBLIOGRAPHY, (U)
NOV 76 S H BULLOCK
UNCLASSIFIED USAARL-SPECIAL BIB-SER-10

ARMY AEROMEDICAL RESEARCH LAB FORT RUCKER ALA F
EFFECT OF IMPULSE NOISE ON HEARING: A SELECT BIBLIOGRAPHY, (U)
NOV 76 S H BULLOCK
USAARL-SPECIAL BIB-SER-10

NL

LIBRARY
U.S. Army
MEDICAL
RESEARCH
LABORATORY

PROJECT
SUBJECT
FILM

END
DATE
FILMED
2-77

END

DATE
FILMED

2-77

ADA033666

1

LIBRARY

12



**US ARMY
AEROMEDICAL
RESEARCH
LABORATORY**

NOVEMBER 1976

**SPECIAL BIBLIOGRAPHY
NO. 10**

DDC
RECEIVED
DEC 15 1976
D

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Special Bibliographic Series No. 10	2. GOVT ACCESSION NO. 10 SAARL-Special Bib	3. RECIPIENT'S CATALOG NUMBER -Ser-10
4. TITLE (and Subtitle) Effect of impulse noise on hearing; a select bibliography,		5. TYPE OF REPORT & PERIOD COVERED Bibliography
6. AUTHOR(s) Compiled by Sybil H. Bullock		7. PERFORMING ORG. REPORT NUMBER
8. PERFORMING ORGANIZATION NAME AND ADDRESS U. S. Army Aeromedical Research Laboratory Library P.O. Box 577 Fort Rucker, Alabama 36362		9. CONTRACT OR GRANT NUMBER(s)
10. CONTROLLING OFFICE NAME AND ADDRESS USAARL Library P.O. Box 577 Fort Rucker, Alabama 36362		11. REPORT DATE November 1976
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 21
		14. SECURITY CLASS. Unclassified
15. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution is unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of the abstract entered in Block 10, if different from Report)		
17. SUPPLEMENTARY NOTES Abbreviations for journals used in the citations, for the most part, were taken from Index Medicus.		
18. KEY WORDS (Continue on reverse side if necessary and identify by block number) Impulse noise - Bibliography Noise - Bibliography Hearing - Bibliography		
19. ABSTRACT (Continue on reverse side if necessary and identify by block number) This bibliography contains references to books, technical reports, and journal articles on the effects of impulse noise on hearing. It covers primarily the 1950's to the present time; the arrangement is alphabetically by author.		

DD FORM 1 APR 75 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

404 578
647

- Acton, W. I., and Forrest, M. R.
Hearing hazard from small-bore weapons. Journal of the
Acoustical Society of America, 1968, 44(3):817-818.
- Allen, C. H., Jackson, F.J., Kryter, K. D., and Weaver, H. R.
Temporary hearing threshold shift produced by high level tone
bursts. Paper B-31. Proceedings of the Fifth International
Congress on Acoustics, Liege, Belgium, Sept. 1965.
- Andreev, M. V. and Dianov, P.D.
Hygienic characteristics of impulsive noise when engaging
in certain types of sports (shooting, heavy athletics). GIG
Sanit 6:106-107, 1974. In Russian.
- Andreev, M. V.
Study of the effect of impulse noises on the human body in
professional sports. GIG Sanit 8:100-2, Aug. 1975. In Russian.
- Andreeva-Galanina, E. T. S., et al.
Data for hygienic assessment of impulse noise. GIG Sanit
33:24-9, Aug. 1968 In Russian.
- Atherley, G. R. C. and Martin, A.
Equivalent-continuous noise level as a measure of injury from
impact and impulse noise. Annals of Occupational Hygiene 14:
11-28, 1971.
- Atherley, G. R. C.
Noise-induced hearing loss: the energy principle for recurrent
impact noise and noise exposure close to the recommended limits.
Ann. Occup. Hyg 16:183-192, 1973.
- Ball, Jay H.
Instrumentation for a study of temporary threshold shifts caused
by high-intensity acoustic transients. Bolt Beranek and Newman,
Inc., Cambridge, Mass. AD 462 637.
- Botsford, J. H. Simple method for identifying acceptable noise exposure.
J. Acoust Soc Am 42:810-819, 1967.
- Burns, W. and Robinson, D. W.
Hearing and noise in industry. London. Her Majesty's Stationary
Office, 1970.
- Butukhanov, V. V. Reaction of skeletal muscles to impulsive noise.
GIG Sanit 6:104-105, 1974. In Russian.
- Carr, C. Jelleff and Fisher, Kenneth D.
A review of adverse biomedical effects of sound in the military
environment. Federation of American Societies for Experimental
Biology, Bethesda, Md. AD 734 932.

- Carter, N. L., Kryter, D. K.
Studies of temporary threshold shift caused by high intensity acoustic transients. Report 949. Washington, D.C., U. S. Army, Surgeon General's Office, 1959. AD 287 810.
- Carter, N. L., and Miller, J. D.
TTS produced by noise exposure of long duration. Journal of the Acoust. Soc of America 45: 343, 1969.
- Ceypek, T., Kuzniarz, J. J., and Lipowczan, A.
Hearing loss due to impulse noise: a field study. Proceedings of the International Congress on Noise as a Public Health Problem, Dubrovnik, Yugoslavia. U. S. Environmental Protection Agency. 1973.
- Chaillet, Robert F., Garinther, Georges R., Hodge, David C., Newcomb, Fred N.
High-intensity impulse noise; a major problem. Human Engineering Lab, Aberdeen Proving Ground, MD., Aug. 1964.
- Chaillet, Robert F.
Maximum acceptable steady state noise level for Army Materiel Command equipment. Human Engineering Lab, Aberdeen Proving Ground, Md., June 1964.
- Chisman, J. A., and Simon, J. R.
Protection against impulse type industrial noise by utilizing the acoustic reflex. J. Appl. Psychol. 45:402-407, 1961.
- Cohen, A., Anticaglia, J. R. and Jones, H. H.
Noise induced hearing loss-exposures to steady-state noise. Presented at the American Medical Association Sixth Congress on Environmental Health, Chicago, Illinois, 1969.
- Cohen, A.
Temporary hearing losses for protected and unprotected ears as a function of exposure time to continuous and impulse noise. Quartermaster Res. and Eng. Command, Natick, Mass. Tech Rep, EP-151, 1961. AD 262 722
- Cohen, A., Klyin, B., and LaBenz, P.J.
Temporary threshold shifts in hearing from exposure to combined impact/steady-state-noise conditions. J. Acoust. Soc. Am. 40: 1371-1380, 1966.
- Coles, R. R. A., Rice, C. G.
Assessment of risk of hearing loss due to impulsive noise. London-New York, D. W. Robinson, 1971.

- Coles, R. R. A., and Rice, C. G.
Auditory hazards of sports guns. *Laryngoscope* 76:1728-1731, 1966a.
- Collins, E. G.
Aural trauma caused by gunfire. *J. Laryngol. Otol* 63, 358-390, 1948.
- Coles, R. R. A., Garinther, G. R., Hodge, D. C., and Rice, C. G.
Criteria for assessing hearing damage risk from impulse noise exposure. U. S. Army Tech. Memo 13-67. Human Engineering Lab., Aberdeen Proving, MD. 1967.
- Coles, R. R. A. and Rice, C. G.
Hazard from impulse noise. *Ann Occup Hyg* 10:381-388, 1967.
- Coles, R. R. A. et al.
Hazardous exposure to impulse noise. *J. Acoust Soc Am* 43:336-343, 1968.
- Coles, R. R. A., Rice, C. G. and Martin, A. M.
Noise-induced hearing loss from impulse noise: present status. Proceedings of the International Congress on Noise as a Public Health Problem. Dubrovnik, Yugoslavia. U. S. Environmental Protection Agency. 1973.
- Coles, R. R. A. and Rice, C. G.
The pure-tone, speech and impulse noise attenuating properties of Selectone-K and V-51R earplugs. Medical Research Council, London, Report RN P65/1049. AD 473 694.
- Coles, R. R. A.
Some considerations concerning the effects on hearing of the noise of small-arms. Paper H21 presented at the Fourth International Congress on Acoustics, Copenhagen, 1962. *J. Roy Nav Med Serv* 69:1-5, 1963.
- Coles, R. R. A. and Rice, C. G.
Speech communications effects and temporary threshold shift reduction provided by V-51R and Selectone-K earplugs under conditions of high intensity impulsive noise. *J. Sound Vibration* 4:156-171, 1966b.
- Coles, R. R. A. and Rice, C. G.
Towards a criterion for impulse noise in industry. *Annals of Occup. Hygiene* 13:43-50, 1970.
- Confer, Violet J.
Noise and blast (1956-1976): an annotated bibliography of research performed at the Human Engineering Laboratory. July 1976.

Connolly, R. J.

Military potential test of AR18 rifle, sound intensity phase, firing record no. S-46490. Development and Proof Services, Aberdeen Proving, Md., May 1965. DPS-1514.
Supplement to Rept. No. DPS-1514, dtd Dec 1964, AD 453 904L.

Corcoran, A. L.

An investigation into the effects of rapidly repeated noise pulses on the acoustic reflex in human subjects. Dissertation submitted for B. Sc. Hons. Department of Mechanical Engineering University of Southampton, 1974.

Davis, R. C. and Van Liere, D. W.

Adaptation of the muscular tension response to gunfire. J. Exp. Psychol. 39:114-117, 1949.

Deafening effects of impulse noise on the rhesus monkey.

Acta Otolaryngol (Suppl) (Stockh) 1-44, 1973.

Dieroff, H. G.

Impairment of hearing due to impulse noise. Z Gesamte Hyg 20(4): 215-8, Apr 1974. In German.

DIN 45633 (1968): parts 1 and 2: precision sound level meter and additional requirements for extension of the precision sound level meter to an impulse sound level meter.

Edwards, C. C.

Federal Register 36:13030 (No. 134, 13 July 1971), 1971.

Eldred, F. E., Gannon, W. J. and Von Gierke, H.

A review of hearing damage risk criteria. Ann Occup Hyg 10:143-149, 1967.

Eldredge, D. H., Miller, J. D.

Acceptable noise exposures: damage risk criteria. Report No. 4. American Speech and Hearing Association, 1969, pp. 110-120.

Eldredge, D. H.

The effects of blast phenomena on man. CHABA Report No. 3, June 1955.

Eldredge, D. H.

The problems of criteria for noise exposure. Working Group 22. October 1960.

Elwood, M. A., Brasher, P. F., Croton, L. M.

A preliminary study of sensitivity to impulsive noise in terms of temporary threshold shifts. Read before the British Acoustical Society Meeting on Impulse Noise, Southampton, England, 1966.

Elwood, M. A., Brasher, P. F., and Croton, L. M.

A survey of the noise generated by weapons, vehicles and other equipment used by the army (in relation to criteria for safe exposure). Army Personnel Research Establishment Research Memorandum T/1, Farnborough, England.

Fleer, R.

Protection afforded against impulsive noise by voluntary contraction of the middle ear muscles. In Rep. 576, Middle ear function seminar, U. S. Army Medical Research Laboratory, Ft. Knox, Ky., 1963, pp. 196-200.

Fletcher, J. L.

Acoustic reflex response to high intensities of impulse noise and to noise and click stimuli. Rep. 527, U. S. Army Medical Research Laboratory, Ft. Knox, Ky, 1961. AD 272 071.

Fletcher, J. L. and Loeb, M.

Changes in the hearing of personnel exposed to high intensity continuous noise. Rept. AMRL 566. U. S. Army Medical Research Laboratory, Ft. Knox, Ky., 1963. and Milit. Med. 128:1137-1141, 1963.

Fletcher, J. L.

Criteria for assessing risk of hearing damage. J. Occup. Med. 7:281-283, 1965.

Fletcher, J. L. and Loeb, M.

The effect of pulse duration on TTS produced by impulse noise. J. Aud. Res. 7:163-167, 1967.

Fletcher, J. L. et al.

Effects of high intensity impulses noise and rapid changes in pressure upon stapedectomized monkeys. Acta Otolaryg (Stockholm) 68:6-13, Jul-Aug 1969.

Fletcher, John L. and Loeb, Michel.

Exploratory study of the effect of pulse duration on temporary threshold shift produced by impulse noise. Jan. 1967. Army Medical Research Lab. Ft. Knox Ky. AD 647 540.

Fletcher, J. L.

Hearing losses of personnel exposed to impulse and steady state noise. J. Auditory Res. 3:83-90, 1963. Also in Army Medical Research Lab Report 355.

Fletcher, J. L. and Loeb, M.

Impulse duration and temporary threshold shift. J. Acoust. Soc. Am. 44:1524-1528, 1968.

- Fletcher, J. L.
Protection from high intensities of impulse noise by way of preceding noise and click stimuli. J. Audit. Res. 5:145-150, 1965.
- Fletcher, J. L. and Riopelle, A. J.
Protective effect of the acoustic reflex for impulsive noises. J. Acoust. Soc. Amer 32:3, 1960.
- Fletcher, J. L. and Cairns, A. B.
Recovery from impulse noise induced acoustic trauma. Army Medical Research Lab., Ft. Knox, Ky, Nov. 1966. AD 645 898.
- Fletcher, John L. and Loeb, Michel.
Relationships for temporary threshold shifts produced by three different sources. Army Medical Research Lab., Ft. Knox, Ky, June 1965. AD 618 773.
- Fletcher, J. L. and King, W. P.
Susceptibility of stapedectomized patients to noise induced temporary threshold shifts. Army Medical Research Lab., Ft. Knox, Ky, Apr 1963. AMRL 564.
- Fletcher, John L.
TTS following prolonged exposure to acoustic reflex eliciting stimuli. J. Auditory Res. 1:242-246, 1961.
- Fletcher, John L.
Temporary threshold shift recovery from impulse and steady state noise exposure. Army Medical Research Lab., Ft. Knox, Ky, Aug. 1969. AD 699 790.
- Forrest, M. R.
The effects of high intensity impulsive noise on hearing. M. Sc. Dissertation, University of Southampton, 1967.
- Forrest, M. R.
Evaluation of hazard to hearing from impulse noise. APRE Report 23/73 (R), Ministry of Defence, Army Personnel Research Establishment, Farnborough.
- Forshaw, Stanley E.
Guide to noise hazard evaluation. Defence Research Establishment Toronto, Downsview (Ontario). Nov. 1970. Rev. Paper No. 771. N71-25559.
- Forshaw, S. E.
The hazard of impulse noise. Prepared for the 10th Commonwealth Defence Conference on Operational Clothing and Combat Equipment. Defense and Civil Institute of Environmental Medicine CDA 2. 1972.

- Forshaw, S. E. and Crabtree, R. B.
Impulse-noise levels at the weapon ranges of the Canadian Forces Proof and Experimental Test Establishment Nicolet. DRET Report No. 79.
- Forshaw, S. E., Coffey, C. G., and Stong, R. A.
A survey of noise hazards at the Combat Arms School, Canadian Forces Base Galetown. DCIEM Report No. 814, 1972.
- Garinther, G.R. and Moreland, J. B.
Acoustical considerations for a silent weapon system: an exploratory study. Technical Memorandum 10-66, USA Human Engineering Laboratories, Aberdeen Proving Ground, Md., 1966.
- Garinther, G. R. and Kryter, K. D.
Auditory and acoustical evaluation of several shoulder-rifles. U. S. Army Human Engineering Laboratories, Aberdeen Proving Ground, MD. Tech. Mem. 1-65, 1965. AD 615 934.
- Garinther, G. R. and Mastaglio, G. W.
Measurement of peak sound-pressure levels developed by AR 15 and M14 rifle bullets in flight. USA Human Engineering Laboratories, Aberdeen Proving Ground, Md., 1963, Technical Note 3-63.
- Garinther, G. R. and Moreland, J. B.
Transducer techniques for measuring the effect of small-arms' noise on hearing. U.S. Army Human Engineering Laboratories, Aberdeen Proving Ground, Md., Tech. Mem 11-65, 1965. AD 806 921L.
- Gjaevenes, K.
Damage-risk criterion for the impulsive noise of "toys". J. Acoust Soc. Amer. 42:628, 1967.
- Gjaevenes, K.
Measurements on the impulsive noise from crackers and toy firearms. J. Acoust. Soc. Amer. 39:403-404, 1966.
- Glorig, A., Ward, W. D., and Nixon, J.
Damage risk criteria and noise-induced hearing loss. Archives of Otolaryngology 74:71-81, 1961.
- Glorig, A., Summerfield, A., and Ward, W.D.
Observations on temporary auditory threshold shift resulting from noise-exposure. Ann. Otol Rhinol. Laryngol. 67:824-847, 1958.

- Gubaran, E., Fernandez, J., Gardiner, J., and Terrier, G.
Hazardous exposure to industrial impact noise: persistent effect on hearing. *Ann. Occup. Hyg.* 14:345-350, 1971.
- Guthrie, Carl E., Lipscombe, David M., and Luz, George A.
Cochlear histopathology in the chinchilla after exposure to impulse noise. U. S. Army Medical Research Laboratory, Report No. 1,036, 11 May 1973.
- Hamernik, R. P., Henderson, D., Dosanjh, D. S., and Sitler, R. W.
Impulse noise: some electrophysiological and anatomical effects. *Proceedings of 7th International Congress on Acoustics.* Budapest, 1971.
- Hamernik, Roger P., Henderson, Donald, Crossley, James J. and Salvi, Richard.
Interaction of continuous and impulse noise: audiometric and histological effects. *J. of the Acoust. Soc. of Amer.* 55(1):117-121, Jan. 1974.
- Hamernik, R. P. Dosanjh, D.S. and Henderson, D.
Shock tube application in bio-acoustic research. In *Recent developments in shock tube research; proceedings of the Ninth International Symposium, Stanford, Calif., July 16-19, 1973.* pp. 144-155.
- Harbold, George J., and Greene, James W.
A field study of the effects of exposure to impulse noise on hearing acuity. May 1961. *Naval School of Aviation Medicine Pensacola, Fla.* AD 265-246.
- Harbold, George J. and Greene, James W.
A study of the effects of gunfire and other infantry combat training noises on the hearing acuity of U. S. Marine Corps recruits. May 1961. *Naval School of Aviation Medicine, Pensacola, Fla.* AD 261 694.
- Hecker, M. H.L., and Kryter, K. D.
A study of auditory fatigue caused by high-intensity acoustic transients. Report No. 1158. Washington: U.S. Army, Surgeon General's Office, 1964.
- Henderson, D. et al.
Audiometric and anatomical correlates of impulse noise exposure. *Arch Otolaryngol* 99:62-6, Jan. 1974.
- Henderson, D., Hamernik, R. P., and Sitler, R.
Comparison between hair cell losses and permanent threshold shifts produced by three levels of impulse noise. Paper J8 83d Meeting of the Acoustical Society of America, Buffalo, New York, 1972.

- Henderson, D., et al.
A comparison of chinchilla auditory evoked response and behavioral response thresholds. *Percep. Psychophys.* 5:41-45, 1969.
- Henderson, D., and Hamernik, R. P.
Effects of impulse noise on the production of auditory threshold shift. Dissertation Proposal, Syracuse University, New York, 1971.
- Henderson, D. and Hamernik, R. P.
Impulse noise: the effects of intensity and duration on the production of hearing loss. *Proceedings of the 8th International Congress on Acoustics, London.* 1974.
- Hodge, D.C., and McCommons, B. M.
Acoustical hazards of children's toys. *J. Acoust. Soc Amer.* 40:911, 1966a.
- Hodge, David C. and McCommons, Bruce.
A behavioral study of the sound-shadow effect in impulse noise. U. S. Army Human Engineering Laboratory, HEL TM 12-67, 1967.
- Hodge, David C.
A descriptive model of negative TTS from impulses. U. S. Army Human Engineering Laboratory HEL TN 1-75., Jan. 1975. AD A005 025.
- Hodge, D. C. and McCommons, R. Bruce.
Further studies of the reliability of temporary threshold shift from impulse-noise exposure. U. S. Army Human Engineering Laboratory, HEL TM 3-66, 1966.
- Hodge, D.C. and McCommons, R. Bruce.
Growth of temporary threshold shift from impulsive-noise exposure. *Proc. Int. Congr. Acoust, 6th, Tokyo, Japan, Paper A-2-9, pp. 13-16, 1968.*
- Hodge, D.C. and McCommons, R. Bruce.
Growth of TTS from impulse-noise: a methodological study. U. S. Army Human Engineering Laboratory, HEL TM 10-67, May 1967.
- Hodge, David C.
Improved weapon noise exposure criteria. Human Engineering Laboratory, HEL TN 1-72, Feb. 1972. N72-25145.
- Hodge, D.C. and Garinther, G.R.
Noise and blast. Human Engineering Laboratory, HEL TM 10-73. 1973. Reprint of chapter in *Bioastronautics Data Book*, 2d ed, Washington, NASA, 1973.

- Hodge, D.C., Gates, H. W., Helm, C. P., Soderholm, R. B., and Blackmer, R. F.
Preliminary studies of the impulse-noise effects on human hearing (Project HumIN). U. S. Army Human Engineering Laboratories, HEL TM 15-64., 1964. AD 618 327.
- Hodge, D.C. and McCommons, R.B.
Relation between hearing level and TTS from impulse noise exposure. J. Acoust. Soc. Amer. 38: 938A, 1965.
- Hodge, D.C., McCommons, R. B., Blackmer, R.F.
Reliability of temporary threshold shifts caused by repeated impulse-noise exposures. J. Aud. Res. 6:121-127, 1966.
- Hodge, D.C., McCommons, B. M.
Reliability of TTS from impulse-noise exposure. J. Acoust. Soc. Amer. 40:839-846, 1966b. Also U. S. Army Human Engineering Laboratory, HEL TM 2-67, Jan. 1967.
- Hodge, David C.
A review of impulse-noise research at the Human Engineering Laboratories. Apr 1971. N72-15118.
- Hodge, David C., McCommons, R. Bruce
Some studies of temporary hearing losses resulting from repeated exposure to gunfire noise. June 1966.
Human Engineering Laboratories, Presented at the Army Science Conference, U.S. Military Academy, 14-17 June 1966. AD 634 690.
- Hodge, David C., Soderholm, Robert B.
A survey of instrumentation for producing impulse noise. Human Engineering Laboratories, March 1964. HEL TN 3-64. AD 449 484.
- Hodge, David C., and Garinther, G.R.
Validation of the single-impulse correction factor off the CHABA impulse-noise damage risk criterion. J. of the Acoust Soc. of Amer. 48:1420-1430, 1970. Also U.S. Army Human Engineering Laboratories HEL TM 3-71.
- International Organisation for Standardisation.
Assessment of occupational noise exposure for hearing conservation purposes. ISO recommendation R1999. 1971.
- Ivanov, N. I.
Effect of loud impulse noise on the hearing organ of animals. Voen Med Zh 7:24-7, Jul 1970. In Russian.

- Jacobson, Bernard, Dyer, Elizabeth M., and Marone, Robert J.
Effectiveness of the V-51R ear plug with impulse pressures
up to 8 PSI. U. S. Army Human Engineering Laboratories,
Nov. 1962. HEL TM 1-63.
- James, S. N.
Analysis of an impulse noise suppressor for FM demodulators.
Auburn University, Alabama, Telemetry Systems Lab. NASA CR 120492.
N75-12198, 1 June 1974.
- Jerger, J. F. and Carhart, R.
Temporary threshold shift as an index of noise susceptibility.
J. Acoust. Soc. Am 28:611-613, 1956.
- Johansson, B., Kylin, B., and Roepstorff, S.
Evaluation of the hearing damage risk from intermittent noise
according to the ISO recommendations. Proceedings of the First
International Congress on Noise as a Public Health Problem,
1973.
- Jordan, Valdemar M., Pinheiro, Marilyn L., Chiba, Kazuo, Jiminez, Armando,
and Luz, George A.
Cochlear pathology in monkeys exposed to impulse noise.
USAMRL 968. Army Medical Research Laboratory, 1972.
AD 745 105. N72-33091.
- Keim, R.J.
Impulse noise and neurosensory hearing loss; relationship
to small arms fire. Calif Med 113:16-9, Sep 1970.
- Kinney, G. P.
Explosive shocks in air. New York: McMillan, 1962.
- Kraak, W.
Growth of TTS and course of recovery for different noises;
implications for growth of PTS. Proceedings of the First
International Congress on Noise as a Public Health Problem,
Dubrovnik, Yugoslavia.
- Kraak, W., Ertel, H., Fuder, G., and Kracht, L.
Risk of hearing damage caused by steady-state and impulsive
noise. J. of Sound and Vibration. 36:347-359, 8 Oct 1974.
- Kryter, K. D., Garinther, G.
Auditory effects of acoustic impulses from firearms.
Acta Otolaryng. Suppl 211:1-22, 1966.
- Kryter, K. D.
Damage risk criterion and contours based on permanent and
temporary hearing loss data. Amer Industr Hyg Assoc J 26:34-44, 1965.

- Kryter, K.
The effects of noise on man. New York: Academic, 1970.
- Kryter, K. D.
Evaluation of exposures to impulse noise. Arch Environ. Health 20:624-635, 1970.
- Kryter, K. D.
Exposure to steady-state noise and impairment of hearing. J. Acoust. Soc. Amer 34:1515-1525, 1965.
- Kryter, K. D., Ward, D. W., Miller, J. D. and Eldredge, D.H.
Hazardous exposure to intermittent and steady-state noise. J. of Acoust. Soc. of America 39:451-464, 1966. Also AD 458 244.
- Kryter, K. D.
The measurement of noises of U.S. Army weapons. Report 744, Bolt, Beranek and Newman, Cambridge, Mass, 1960.
- Kryter, K. D.
Non-auditory effects of noise (a literature review). Working Group 63. June 1971. CHABA.
- Kryter, K. D.
Review of research and methods for measuring the loudness and noisiness of complex sounds. Rept. CR 442. NASA, 1966.
- Kryter, K. D.
Studies of measurement of noises produced by U.S. Army weapons and the effects of noise on hearing. Bolt Beranek and Newman, Cambridge, Mass. Nov. 1964. AD 449 856.
- Kryter, K. D.
Temporary threshold shifts in hearing from acoustic impulses of high intensities. Int. Audiol. 5:323-330, 1966.
- Kylin, B.
Studies on the temporary hearing threshold shift at different frequencies after exposure to various octave bands of noise. Acta Oto-Laryngol 50:531-539, 1959.
- Kylin, B.
Temporary threshold shift and auditory trauma following exposures to steady-state noise; an experimental and field study. Acta Otolaryngol Supp. 152:1-93, 1960.
- Lindquist, S.E., Neff, W. D., and Schuknecht, H.F.
Stimulation deafness: a study of hearing losses resulting from exposure to noise or to blast impulses. J. Comp. Physiol. Psychol. 47:406-411, 1954.

- Loeb, Michel and Fletcher, John L.
Impulse duration and temporary threshold shift. J. Acoust. Soc. of Amer. 44:1524-1528, 1968 Also in Army Medical Research Lab, Report 791, AD 680 916.
- Loeb, M., Richmond, G., and Jeantheau, G.
The influence of intense noise on performance of a precise fatiguing task. Rept. 268. U. S. Army Medical Research Laboratories, Ft. Knox, Ky, 1956.
- Loeb, Michel and Binford, John R.
Some factors influencing the effective auditory intensive difference. Apr 1963. Army Medical Research Laboratory, AMRL 563.
- Loeb, M., Fletcher, J. L., and Benson, R.
Some preliminary studies of temporary threshold shift with an arc-discharge impulse noise generator. J. Acoust. Soc. Am. 37:313-318, 1965.
- Loeb, Michel and Fletcher, John L.
Temporary threshold shift in successive sessions for subjects exposed to continuous and periodic intermittent noise. Army Medical Research Lab, Mar 1964. AMRL 604. AD 440 204. Also in J. of Auditory Research 3:213-220, 1963.
- Loring, J. C. G.
Selected bibliography on the effects of high-intensity noise on man. J. of Speech and Hearing Disorders Monograph Suppl. 3, 1954.
- Lutman, M. E.
The effect of steady-state and impulse noise combinations on temporary threshold shift. Thesis, Univ. of Southampton, ISVR, England, 1972.
- Lutman, M. E.
The protective action and function of the acoustic reflex. Thesis in preparation. Institute of Sound and Vibration Research, University of Southampton, 1975.
- Luz, G. A. and Hodge, D. C.
Recovery from impulse-noise induced TTS in monkeys and men: a descriptive model. J. Acoust. Soc. Am. 49:1770-1777, 1970.
- Luz, G. A.
Recovery from temporary threshold shift in monkeys exposed to impulse noise: evidence for a diphasic recovery process. USAMRL Rep. No. 860, 1970.

Luz, G. A. et al

The relation between temporary threshold shift and permanent threshold shift in rhesus monkeys exposed to impulse noise. Acta Otolaryngol (Suppl) (Stockholm) 1-15, 1973. AD 729 304

Luz, George A. and Mosko, James D.

The susceptibility of the chinchilla ear to damage from impulse noise. Army Medical Research Lab, Ft. Knox, Ky. 12 Mar 1971. USAMRL 921, AD 726 333.

McRobert, H. and Ward, W. D.

Damage-risk criteria; the trading relation between intensity and the number of nonreverberant impulses. J. of Acoust. Soc. of Amer. 53:1297-1300, May 1973.

Maglieri, D. J. et al.

Noise from aerial bursts of fireworks. J. Acoust. Soc. Amer. 54:1224-7, Nov. 1973.

Maksimova, L. I. et al.

Effect of impulse noise on workers' hearing. GIG Sanit 38:33-6, Sept 1973. In Russian.

Maksimova, L. I. et al.

Effect of impulse noise on the body of workers. GIG Sanit 11:92-4, Nov. 1974 In Russian.

Marshall, Lynne and Brandt, John F.

Temporary threshold shift from a toy cap gun. J. of Speech & Hearing Disorders. 39(2):163-168, May 1974.

Martin, A. M. and Rood, G. M.

Evaluation of four noise dosimeters for the measurement of occupational steady-state and impulse noise. ISVR Technical Memo No. 520. Institute of Sound and Vibration Research, University of Southampton. 1974.

Martin, A.M. and Atherley, G. R. C.

A method for the assessment of impact noise with respect to injury to hearing. Annals of Occupational Hygiene 16:19-36, 1973.

Martin, A. M.

Industrial impact noise and hearing. Ph.D. Thesis. Department of Pure and Applied Physics Univeristy of Salford, 1970.

- Martin, A. M. and Atherley, G. R. C.
A method for the assessment of impact noise with respect to injury to hearing. *Ann Occup Hyg.* 16:19-26, 1973.
- Martin, A. M., Acton, W.I., Lutman, M. and Walker, J. G.
Studies in hearing conservation. *J. of Sound and Vibration* 28:333-357, 8 June 1973.
- Martin, P. and Romba, J. J.
A method for study of hearing loss and recovery in rhesus monkeys. U. S. Army Human Engineering Laboratories, Technical Memorandum 11-62. 1962.
- Mead, R. D. and Eckenrode, R. T.
Psychological and physiological effects of gun blast with special reference to recoilless rifles. A preliminary literature survey. Cited in Whitcomb, Milton, Bibliography of reports acquired by CHABA (Committee on Hearing and Bio-Acoustics), Jan. 1963, pp. 3.
- Miller, J. D.
Damage to organ of corti from TTS. "Conference on Noise." CHABA, University of Syracuse, New York, 1968.
- Mills, J. H., Gengel, R. G., Watson, C.S. and Miller, J. D.
Temporary changes of the auditory system due to exposure to noise for one or two days. *J. of Acoust. Soc. of Am.* 48:524-530, 1970.
- Mills, John H and Talo, Seija A.
Temporary threshold shifts produced by exposure to high-frequency noise. *J. of Speech & Hearing Research* 15(3):624-631, Sept. 1972.
- Mills, John H.
Thresholds shifts produced by exposure to noise in chinchillas with noise-induced hearing losses. *J. of Speech & Hearing Research* 16(4):700-708, Dec. 1973.
- Morozov, V. N. et al
The biological action of impulse noises (a review of the literature). *Voenomed Zh* 8:53-8, Aug 1969. In Russian.
- Muirhead.
Hearing loss due to gun blast, 1960. Cited in Whitcomb, Milton, Bibliography of reports acquired by CHABA (Committee on Hearing and Bio-Acoustics), Jan. 1963.
- Murray, N. E. and Reid G.
Experimental observations on the aural effects of gunblast. *Med J Aust*, p. 611, 1946.

- Murray, N. E. and Reid, G.
Temporary deafness due to gunfire.
J. Laryng 61:95-130, 1946.
- Nakamura, S. and Katano, Y.
Relationship between TTS and duration of noise exposure.
J. Aud. Res. 7:401-442, 1967.
- National Research Council. Committee on Hearing and Bio-Acoustics.
Bibliography of reports acquired by CHABA, Jan. 1963.
AD 298 057.
- Nixon, J. C. and Glorig, A.
Noise-induced temporary threshold shift vs. hearing
level in four industrial samples. J. Auditory Res.
2:125-138, 1962.
- Nixon, J. C., Glorig, A. and Bell, D. W.
Predicting hearing loss from noise induced TTS.
Arch Otolaryngol 81:250-256, 1965.
- Nunez, R. V. and Seidel, R. J.
Psychological and physiological effects of gun
blast with special reference to recoilless rifles, 1957.
Cited in National Research Council. Committee on Hearing
and Bio-Acoustics. Bibliography of reports acquired by
CHABA, Jan. 1963.
- Okada, A., Fukuda, K. and Yamamura, K.
Growth and recovery of temporary threshold shift of 4 kHz
due to steady state noise and impulse noises. Internationale
Zeitschrift fur angewandte Physiologie einschliesslich Arbeits-
physiologie 30:105-111, 1972.
- Osmundsen, E. and Gjaevenes, K.
The diffraction of short duration impulsive sound waves by an
artificial head. J. Sound Vib 37(1):39-56, 1974.
- Passchier-Vermeer, W.
Hearing loss due to exposure to steady-state broadband noise.
Research Institute for Public Health Engineering Delft,
The Netherlands, IG-TNO Report 35, 1968.
- Peck, Alec F. and Luz, George A.
Measured evoked potential thresholds in chinchillas after
exposure to impulsive noise. U. S. Army Medical Research
Laboratory, Report No. 1,021, 28 Feb. 1973.

- Peters, E. N.
Temporary shifts in auditory thresholds of chinchilla after exposure to noise. J. Acoust. Soc. Amer. 37:831-833, 1965.
- Pinheiro, M. et al.
The relationship between permanent threshold shift and the loss of hair cells in monkeys exposed to impulse noise. Acta Otolaryngol (Suppl) (Stockh) 31-40, 1973.
- Poche, Lynn B., Stockwell, Charles W. and Ades, Harlow W.
Cochlear hair-cell damage in guinea pigs after exposure to impulse noise. J. Acoust. Soc. Amer. 46, pt. 2:947-951, Oct. 1969.
- Price, G. R.
Transformation function of the external ear in response to impulsive stimulation. J. Acoust. Soc. of Amer 56:190-194, July 1974. Also in U. S. Army Human Engineering Laboratories HEL TM 26-74.
- Radionova, E. A.
Separation of useful signal from noise in the neuronal impulse activity of the cochlear nucleus of a cat. Translated from the Russian. Army Foreign Science and Technology Center, FSTC-HT-23-0706-75. AD A014 052.
- Reeve, Gerome R.
Calibration of impulse noise generators. National Bureau of Standards, Boulder, Colo. Electromagnetics Div. COM-75-10282. Oct. 1973.
- Reid, G.
Further observation on temporary deafness following exposure to gunfire. J. Laryng. Otol. 61:609-633, 1946.
- Rice, C. G. and Martin, A. M.
Impulse noise damage risk criteria. J. Sound & Vib. 28:359-367, 8 June 1973.
- Rice, C. G. and Coles, R. R. A.
Impulse noise studies and temporary threshold shift. Proceedings of the Fifth International Congress on Acoustics. Liege, Belgium, Paper R 67, 1965.
- Rice, C. G. and Zepler, E. E.
Loudness and pitch sensations of an impulse sound of very short duration. J. Sound Vib. 5:285-289, 1967.
- Robinson, D. W.
The relationships between hearing loss and noise exposure. NPL Aero Report Ac 32. 1968.

- Robinson, D.W. and Cook, J. P.
The quantification of noise exposure. NPL Aero Report
Ac 31, National Physical Laboratory, Teddington, England,
1968.
- Robinson, D. W. and Shipton, M. S.
Tables for the estimation of noise-induced hearing losses.
NPL Acoustics Report AC 61, National Physical Laboratory,
Teddington, England, 1973.
- Romba, J. J. and Martin, P.
An exploratory study into the effects of low blast
pressure on behavior in rhesus monkeys. U. S. Army
Human Engineering Laboratory, HEL TM 11-59, 1956.
- Ruckelshaus, W.
Report to the President and Congress on noise. Report of
the Administrator of the Environmental Protection Agency,
U. S. Senate Document No. 92-63, Ch. 1, 38-39, 1972.
- Lippe, D. Sadwin and Christian, Ermine A.
Characteristics of the shock wave generated in air by a
blasting cap. Report NOLTR 71-105, Naval Ordnance
Laboratory, White Oak, Silver Spring, Md. 18 June 1971.
- Sataloff, J., Vasallo, L. and Menduke, H.
Hearing loss from exposure to interrupted noise.
Archiv Environ. Health 18:972-981, 1969.
- Sataloff, J., Menduke, H. and Hughes, A.
Temporary threshold shift in normal and abnormal ears.
Arch. Otolaryng. 76:52-53, 1962.
- Saul, E. V. and Jaffe, J.
The effects on marksmanship performance of reducing gun
blast by ear defenders. Human Engineering Services in
the Design of Small Arms, Tufts University Medford,
Massachusetts, 1955. Report 4. AD 66894.
- Schmidek, M. et al.
Evaluation of proposed limits for intermittent noise
exposures with temporary threshold shift as a criterion.
Am. Ind Hyg Assoc. J. 33:543-6, Aug. 1972.
- Sergeant, Russell L. and Harris, J. Donald.
The relation of perstimulatory adaptation to other short-term
threshold-shifting mechanisms. Naval Medical Research Lab,
New London, Conn. Nov. 1961. AD 427-973. Also in J. of
Speech and Hearing Research 6:27-39, March 1963.

- Selters, Weldon.
Prediction of temporary threshold shift after noise increase.
J. of Acoustical Society of America. 35, no. 1:99-103, Jan. 1963.
- Shank, E. B. and Garinther, G. R.
Firing from enclosures with LAW, Dragon, and TOW. U. S. Army
Human Engineering Laboratory, HEL TM 16-75, 1975.
- Sitler, R. W., Henderson, D. and Hamernik, R. P.
The temporary and permanent threshold shifts produced by three
levels of impulse noise. Paper J7 given at 83d meeting
of the Acoustical Society of America, Buffalo, N.Y., April,
1972.
- Smith, M. G., Goldstone, G.
A pilot study of temporary threshold shifts resulting from
exposure to high-intensity impulse noise. U. S. Army Human
Engineering Laboratories, HEL TM 19-61, 1961.
AD 269 043.
- Spieth, W. and Trittipoe, W. J.
Intensity and duration of noise exposure and temporary
threshold shifts. J. Acoust. Soc. Am. 30:710-713, 1958.
- Spieth, W. and Trittipoe, W. J.
Temporary threshold elevation produced by continuous and
impulsive noise. J. Acoust. Soc. Am. 30:523-527, 1958.
- Stebbins, W. C. et al.
Hearing impairments in monkeys after exposure to noise.
Read before the 83d meeting of the Acoustical Society of
America, Buffalo, N. Y., April 1972.
- Suvorov, G. A.
Effect of prolonged impulse and stable noise on the
functional state of the hippocampus. GIG Sanit. 37:29-31,
June 1972. In Russian.
- Suvorov, G. A.
Functional state of the cerebral cortex and the mesencephalic
reticular formation during the prolonged effect of impulse
and stable noise. Zh Vyssh Nerv Deiat 22:1303-10, Nov-Dec
1972, In Russian.
- Theopold, H. M.
Degenerative alterations in the ventral cochlear nucleus of
the guinea pig after impulse noise exposure, a preliminary
light and electron microscope study. Arch Oto-Rhino-Laryngol
209(4):247-262, 1975.

- Thompson, P.O.
The effect of temporary hearing loss on the masked threshold. 1957. Cited in National Research Council. Committee on Hearing and Bio-Acoustics.
Bibliography of reports acquired by CHABA, Jan. 1963.
- Unterreiner, R., Richard, M. and Lafon, J. C.
Experiments and results relating to the pathological action of impulsive noises. *Acustica*, 30:100-108, Feb 1974.
- Walker, J. G. and Behar, A.
Problems associated with the reproduction of impulse noise for TTS studies and impulse noise measurements.
J. Sound Vib. 19:349-354, 1971.
- Walker, J. G.
Temporary threshold shift caused by combined steady-state and impulse noises. *J. Sound Vib.* 24:493, 1972.
- Walker, J. G.
Temporary threshold shift from impulse noise. *Ann Occup. Hyg* 13:51-8, Jan 1970.
- Ward, W. D.
Auditory fatigue and masking. In *Modern Developments in Audiology*, edited by J. Jerger, Academic Press, 1963.
- Ward, W. D. and Duvall, A. J.
Behavioral and ultrastructural correlates of acoustic trauma. *Ann Otol Rhinol Laryngol.* 80:881-896, 1971.
- Ward, W. D.
A comparison of the effects of continuous intermittent and impulse noise. In Henderson, D. et al. *Effects of noise on hearing*. New York, 1976.
- Ward, W. D.
Effect of temporal spacing on temporary threshold shift from impulses. *J. Acoust. Soc. Amer* 34:1230-1232, 1962.
- Ward, W. D., Selters, W. and Glorig, A.
Exploratory studies on temporary threshold shift from impulses. *J. Acoust. Soc. Amer.* 33:781-793, 1961.
- Ward, W. D.
Latent and residual effects in temporary threshold shift. *J. Acoust. Soc. Am.* 32:135-137, 1960.

- Ward, W. D.
Proposed damage risk criterion for impulse noise (gunfire)
report of Working Group 57, National Academy of Sciences,
National Research Council, Committee on Hearing, Bioacoustics,
and Biomechanics for Office of Naval Research. July 1968.
- Ward, W. D.
Studies on the aural reflex II. Reduction of temporary
threshold shift from intermittent noise by reflex activity
implications for damage risk criteria. J. Acoust Soc.
Am. 34:234-241. 1962.
- Ward, W. D.
Studies on the aural reflex III: reflex latency threshold
shift from impulses. J. Acoust Soc Am. 34:1132-1137, 1962.
- Ward, W. D.
TTS and DRC for intermittent noise exposure. J. of Acoust.
Soc. of Amer. 48:561-574, 1970.
- Ward, W. D., Glorig, A., and Sklar, D. L.
Temporary threshold shift from octave-band noise: applications
to damage-risk criteria. J. Acoust. Soc. of Amer. 31:522-
528, 1959.
- Ward, W. D., Glorig, A. and Selters, W.
Temporary threshold shift in a changing noise level.
J. Acoust. Soc. Am. 32:235-237, 1960.
- Ward, W. D., Glorig, A. and Sklar, D. L.
Temporary threshold shift produced by intermittent exposure
to noise. J. Acoust. Soc. Am. 31, 791-794, 1959.
- Ward, W. D.
The use of TTS in the derivation of damage risk criterion for
noise exposures. Int. Audio. 5:309-313, 1966.
- Yamamura, K. et al.
Effect of combined impact and steady state noise in temporary
threshold shift (TTS) Med. Lav 65(5-6): 215-23, May-June 1974.
- Yamamura, K. et al.
The effects of temporary hearing loss with combined impact
and steady state noise. Jap. J. Hyg. 28(6):517-21, Feb. 1974.
In Japanese.